



PATENT

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Parodi, Juan C.

Serial No.: 09/935,893

Filed: 23 August 2001

For: Endovascular Prosthesis with Suture Holder

Assistant Commissioner for Patents  
Washington, D.C. 20231TRANSMITTAL OF NEW DRAWING(S) TO CORRECT INFORMALITIES  
CITED IN NOTICE TO FILE CORRECTED APPLICATION PAPERS  
OF NONPROVISIONAL APPLICATION

To correct the informalities in the drawings as noted in the Notice to File Corrected Application Papers of Nonprovisional Application (copy attached), mailed from the Patent and Trademark Office on 20 September 2001, applicant submits herewith new drawing(s) for this application.

Number of drawing sheets submitted: 2Reg. No.: 29,243  
Tel. No.: (262) 783 - 1300

SIGNATURE OF ATTORNEY

Daniel D. Ryan

TYPED NAME OF ATTORNEY

RYAN KROMHOLZ &amp; MANION, S.C.

P.O. Box 26618

Milwaukee, Wisconsin 53226-0618

## CERTIFICATE OF MAILING (37 CFR 1.8)

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the: Assistant Commissioner for Patents, Washington, D.C. 20231.

Date 13 March 2002Julie A. Wolf  
(TYPE OR PRINT NAME OF PERSON MAILING PAPER)Julie A. Wolf  
(SIGNATURE OF PERSON MAILING PAPER)



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/935,893	08/23/2001	Juan C. Parodi	203-2375 CON II

CONFIRMATION NO. 2012

## FORMALITIES LETTER



\*OC000000006580446\*

Chief Patent Counsel  
United States Surgical  
Division of Tyco Healthcare Group LP  
150 Glover Avenue  
Norwalk, CT 06856

COPY

Date Mailed: 09/20/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. ( 5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice MUST be returned with the reply.*

Customer Service Center  
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

09/20/2001 15:03:00